

## 著者所属機関:

- 1)九州大学 生体防御医学研究所
- 2)東京医科歯科大学 難治疾患研究所
- 3)徳島大学 先端酵素学研究所
- 4)熊本大学 発生医学研究所

1. Akabane, S., Uno, M., Tani, N.<sup>4)</sup>, Shimazaki, S., Ebara, N., Kato, H., Kosako, H.<sup>3)</sup>, Oka, T. PKA Regulates PINK1 Stability and Parkin Recruitment to Damaged Mitochondria through Phosphorylation of MIC60. *Mol Cell*. 62:371-384, 2016.
2. Ishikawa, E.<sup>1)</sup>, Kosako, H.<sup>3)</sup>, Yasuda, T., Ohmuraya, M., Araki, K., Kurosaki, T., Saito, T., Yamasaki, S.<sup>1)</sup> Protein kinase D regulates positive selection of CD4(+) thymocytes through phosphorylation of SHP-1. *Nat Commun*. 7:12756, 2016.
3. Kozaki, T., Komano, J., Kanbayashi, D., Takahama, M., Misawa, T., Satoh, T., Takeuchi, O., Kawai, T., Shimizu, S.<sup>2)</sup>, Matsuura, Y., Akira, S., Saitoh, T.<sup>3)</sup> Mitochondrial damage elicits a TCDD-inducible poly(ADP-ribose) polymerase-mediated antiviral response. *Proc Natl Acad Sci U S A*. 114(10):2681-2686, 2017.
4. Otsubo, K., Goto, H., Nishio, M., Kawamura, K., Yanagi, S., Nishie, W., Sasaki, T., Maehama, T., Nishina, H.<sup>2)</sup>, Mimori, K., Nakano, T., Shimizu, H., Mak, T. W., Nakao, K., Nakanishi, Y., Suzuki, A.<sup>1)</sup> MOB1-YAP1/TAZ-NKX2.1 axis controls bronchioalveolar cell differentiation, adhesion, and tumor formation. *Oncogene*. 36(29):4201-4211, 2017.
5. Shigemizu, D., Iwase, T., Yoshimoto, M., Suzuki, Y., Miya, F., Borojevich, K. A., Katagiri, T.<sup>3)</sup>, Zembutsu, H., Tsunoda, T.<sup>1)</sup> The prediction models for postoperative overall survival and disease-free survival in patients with breast cancer. *Cancer Med*. 6(7):1627-1638, 2017.
6. Sasaki, F., Koga, T.<sup>4)</sup>, Saeki, K., Okuno, T., Kazuno, S., Fujimura, T., Ohkawa, Y.<sup>1)</sup>, Yokomizo, T. Biochemical and immunological characterization of a novel monoclonal antibody against mouse leukotriene B4 receptor 1. *PLoS One*. 12(9):e0185133, 2017.
7. Goto, H.<sup>1)</sup>, Nishio, M.<sup>1)</sup>, To, Y.<sup>1)</sup>, Oishi, T.<sup>1)</sup>, Miyachi, Y.<sup>1)</sup>, Maehama, T., Nishina, H.<sup>2)</sup>, Akiyama, H., Mak, T. W., Makii, Y., Saito, T., Yasoda, A., Tsumaki, N., Suzuki, A.<sup>1)</sup> Loss of Mob1a/b in mice results in chondrodysplasia due to YAP1/TAZ-TEADs-dependent repression of SOX9. *Development*. 145:dev159244, 2018.
8. Harada, A.<sup>1)</sup>, Maehara, K.<sup>1)</sup>, Ono, Y., Taguchi, H., Yoshioka, K., Kitajima, Y., Xie, Y., Sato, Y., Iwasaki, T.<sup>1)</sup>, Nogami, J.<sup>1)</sup>, Okada, S., Komatsu, T.<sup>1)</sup>, Semba, Y.<sup>1)</sup>, Takemoto, T.<sup>3)</sup>, Kimura, H., Kurumizaka, H., Ohkawa, Y.<sup>1)</sup> Histone H3.3 sub-variant H3mm7 is required for normal skeletal muscle regeneration. *Nat Commun*. 9:1400, 2018.
9. Momozawa, Y., Iwasaki, Y., Parsons, M. T., Kamatani, Y., Takahashi, A., Tamura, C., Katagiri, T.<sup>3)</sup>, Yoshida, T., Nakamura, S., Sugano, K., Miki, Y.<sup>2)</sup>, Hirata, M., Matsuda, K., Spurdle, A. B., Kubo, M. Germline pathogenic variants of 11 breast cancer genes in 7,051 Japanese patients and 11,241 controls. *Nat Commun*. 9(1):4083, 2018.
10. Niwa, H.<sup>1)</sup>, Miyauchi-Nanri, Y., Okumoto, K., Mukai, S., Noi, K.<sup>4)</sup>, Ogura, T.<sup>4)</sup>, Fujiki, Y.<sup>1)</sup> A newly isolated Pex7-binding, atypical PTS2 protein P7BP2 is a novel dynein-type AAA+ protein. *J Biochem*. 164(6):437-447, 2018.
11. Noguchi, S., Honda, S., Saitoh, T.<sup>3)</sup>, Matsumura, H., Nishimura, E., Akira, S., Shimizu, S.<sup>2)</sup> Beclin 1 regulates recycling endosome and is required for skin development in mice. *Commun Biol*. 2:37, 2019.

12. Nishio, M.<sup>1)</sup>, Miyachi, Y.<sup>1)</sup>, Otani, J., Tane, S.<sup>1)</sup>, Omori, H., Ueda, F., Togashi, H., Sasaki, T.<sup>2)</sup>, Mak, T. W., Nakao, K., Fujita, Y., Nishina, H.<sup>2)</sup>, Maehama, T., Suzuki, A.<sup>1)</sup> Hippo pathway controls cell adhesion and context dependent cell competition to influence skin engraftment efficiency. *FASEB J.* 33(4):5548-5560, 2019.
13. Tahara, N., Kawakami, H., Chen, K. Q., Anderson, A., Yamashita, P. M., Gong, W., Shah, P., Hayashi, S.<sup>3)</sup>, Nishinakamura, R.<sup>4)</sup>, Nakagawa, Y., Garry, D. J., Kawakami, Y. Sall4 regulates neuromesodermal progenitors and their descendants during body elongation in mouse embryos. *Development.* 146(14):dev177659, 2019.
14. Abdalla, M. O. A.<sup>4)</sup>, Yamamoto, T.<sup>4)</sup>, Maehara, K.<sup>1)</sup>, Nogami, J.<sup>1)</sup>, Ohkawa, Y.<sup>1)</sup>, Miura, H., Poonperm, R., Hiratani, I., Nakayama, H., Nakao, M.<sup>4)</sup>, Saitoh, N.<sup>4)</sup> The Eleanor ncRNAs activate the topological domain of the ESR1 locus to balance against apoptosis. *Nat Commun.* 10:3778, 2019.
15. Low, S. K., Chin, Y. M., Ito, H., Matsuo, K., Tanikawa, C., Matsuda, K., Saito, H., Sakurai-Yageta, M., Nakaya, N., Shimizu, A., Nishizuka, S. S., Yamaji, T., Sawada, N., Iwasaki, M., Tsugane, S., Takezaki, T., Suzuki, S., Naito, M., Wakai, K., Kamatani, Y., Momozawa, Y., Murakami, Y., Inazawa, J., Nakamura, Y., Kubo, M., Katagiri, T.<sup>3)</sup>, Miki, Y.<sup>2)</sup> Identification of two novel breast cancer loci through large-scale genome-wide association study in the Japanese population. *Sci Rep.* 9(1):17332, 2019.
16. Ohigashi, I.<sup>3)</sup>, Tanaka, Y., Kondo, K., Fujimori, S.<sup>3)</sup>, Kondo, H.<sup>3)</sup>, Palin, A. C., Hoffmann, V., Kozai, M., Matsushita, Y.<sup>3)</sup>, Uda, S.<sup>1)</sup>, Motosugi, R., Hamazaki, J., Kubota, H.<sup>1)</sup>, Murata, S., Tanaka, K., Katagiri, T.<sup>3)</sup>, Kosako, H.<sup>3)</sup>, Takahama, Y.<sup>3)</sup> Trans-omics impact of thymoproteasome in cortical thymic epithelial cells. *Cell Rep.* 29(9):2901-2916.e6, 2019.
17. Koyano, F., Yamano, K., Kosako, H.<sup>3)</sup>, Kimura, Y., Kimura, M., Fujiki, Y.<sup>1)</sup> Tanaka, K., Matsuda, N. Parkin-mediated ubiquitylation redistributes MITOL/March5 from mitochondria to peroxisomes. *EMBO Rep.* 20(12):e47728, 2019.
18. Kato, H., Okabe, K., Miyake, M.<sup>3)</sup>, Hattori, K., Fukaya, T., Tanimoto, K., Beini, S., Mizuguchi, M., Torii, S.<sup>2)</sup>, Arakawa, S.<sup>2)</sup>, Ono, M., Saito, Y., Sugiyama, T., Funatsu, T., Sato, K., Shimizu, S.<sup>2)</sup>, Oyadomari, S., Ichijo, H., Kadowaki, H., Nishitoh, H. ER-resident sensor PERK is essential for mitochondrial thermogenesis in brown adipose tissue. *Life Sci Alliance.* 3(3):e201900576, 2020.
19. Ishihara E.<sup>2)</sup>, Nagaoka Y.<sup>2)</sup>, Okuno T., Kofuji S.<sup>2)</sup>, Ishigami-Yuasa M.<sup>2)</sup>, Kagechika H.<sup>2)</sup>, Kamimura K., Terai S., Yokomizo T., Sugimoto Y., Fujita Y., Suzuki A.<sup>1)</sup>, Nishina H.<sup>2)</sup>. Prostaglandin E 2 and its receptor EP2 trigger signaling that contributes to YAP-mediated cell competition. *Genes Cells.* 25(3):197-214, 2020.
20. Omori, H., Nishio, M., Masuda, M., Miyachi, Y., Ueda, F., Nakano, T., Sato, K., Mimori, K., Taguchi, K., Hikasa, H., Nishina, H.<sup>2)</sup>, Tashiro, H., Kiyono, T., Mak, T. W., Nakao, K., Nakagawa, T., Maehama, T. and Suzuki, A.<sup>1)</sup> YAP1 is a Potent Driver of the Onset and Progression of Oral Squamous Cell Carcinoma. *Sci Adv.* 6(12):eaay3324, 2020.
21. Ishigaki, K., Akiyama, M., Kanai, M., Takahashi, A., Kawakami, E., Sugishita, H., Sakaue, S., Matoba, N., Low, S. K., Okada, Y., Terao, C., Amariuta, T., Gazal, S., Kochi, Y., Horikoshi, M., Suzuki, K., Ito, K., Koyama, S., Ozaki, K., Niida, S., Sakata, Y., Sakata, Y., Kohno, T., Shiraiishi, K., Momozawa, Y., Hirata, M., Matsuda, K., Ikeda, M., Iwata, N., Ikegawa, S., Kou, I., Tanaka, T., Nakagawa, H., Suzuki, A., Hirota, T., Tamari, M., Chayama, K., Miki, D., Mori, M., Nagayama, S., Daigo, Y., Miki, Y.<sup>2)</sup>, Katagiri, T.<sup>2)</sup>, Ogawa, O., Obara, W., Ito, H., Yoshida, T., Imoto, I., Takahashi, T., Tanikawa, C., Suzuki, T., Sinozaki, N., Minami, S., Yamaguchi, H., Asai, S., Takahashi, Y., Yamaji, K., Takahashi, K., Fujioka, T., Takata, R., Yanai, H., Masumoto, A.,

- Koretsune, Y., Kutsumi, H., Higashiyama, M., Murayama, S., Minegishi, N., Suzuki, K., Tanno, K., Shimizu, A., Yamaji, T., Iwasaki, M., Sawada, N., Uemura, H., Tanaka, K., Naito, M., Sasaki, M., Wakai, K., Tsugane, S., Yamamoto, M., Yamamoto, K., Murakami, Y., Nakamura, Y., Raychaudhuri, S., Inazawa, J.<sup>3)</sup>, Yamauchi, T., Kadowaki, T., Kubo, M., Kamatani, Y. Large-scale genome-wide association study in a Japanese population identifies novel susceptibility loci across different diseases. *Nat Genet.* 52(7):669-679, 2020.
22. Okumoto, K., El Shermely, M., Natsui, M., Kosako, H.<sup>3)</sup>, Natsuyama, R., Marutani, T., Fujiki, Y.<sup>1)</sup>. The peroxisome counteracts oxidative stresses by suppressing catalase import via Pex14 phosphorylation. *Elife.* 9:e55896, 2020.
23. Nishio, M.<sup>1)</sup>, To, Y.<sup>1)</sup>, Maehama, T., Aono, Y., Otani, J., Hikasa, H., Kitagawa, A., Mimori, K., Sasaki, T.<sup>2)</sup>, Nishina, H.<sup>2)</sup>, Toyokuni, S., Lydon, J. P., Nakao, K., Mak, T. W., Kiyono, T., Katabuchi, H., Tashiro, H. and Suzuki, A.<sup>1)</sup> Endogenous YAP1 activation Drives Immediate Onset of Cervical Carcinoma In Situ in Mice. *Cancer Sci.* 111(10):3576-3587, 2020.
24. Yamashita, K., Tamura, S., Honsho, M.<sup>1)</sup>, Yada, H., Yagita, Y.<sup>1)</sup>, Kosako, H.<sup>3)</sup>, Fujiki, Y.<sup>1)</sup>. Mitotic phosphorylation of Pex14p regulates peroxisomal import machinery. *J Cell Biol.* 219(10):e202001003, 2020.
25. Koga T.<sup>4)</sup>, Sasaki F., Saeki K., Tsuchiya S., Okuno T., Ohba M., Ichiki T., Iwamoto S., Uzawa H., Kitajima K., Meno C., Nakamura E., Tada N., Fukui Y.<sup>1)</sup>, Kikuta J., Ishii M., Sugimoto Y., Nakao M.<sup>4)</sup>, Yokomizo T. Expression of leukotriene B 4 receptor 1 defines functionally distinct DCs that control allergic skin inflammation. *Cell. Mol. Immunol.* doi.org/10.1038/s41423-020-00559-7. 2020.
26. Horisawa-Takada Y.<sup>4)</sup>, Kodera C.<sup>4)</sup>, Takemoto K.<sup>4)</sup>, Sakashita A., Horisawa K.<sup>1)</sup>, Maeda R., Usuki S., Fujimura S., Tani N., Matsuura K.<sup>4)</sup>, Shimada R.<sup>4)</sup>, Akiyama T., Suzuki A.<sup>1)</sup>, Niwa H.<sup>4)</sup>, Tachibana M., Ohba T., Katabuchi H., Namekawa S., Arak K., Ishiguro K.<sup>4)</sup>. Meiosis-specific ZFP541 repressor complex promotes meiotic prophase exit during spermatogenesis. *bioRxiv.* doi:10.1101/2021.01.15.426901. 2021.