

著者所属機関:

- 1)九州大学 生体防御医学研究所
- 2)東京医科歯科大学 難治疾患研究所
- 3)徳島大学 先端酵素学研究所
- 4)熊本大学 発生医学研究所

1. Akabane, S., Uno, M., Tani, N.⁴⁾, Shimazaki, S., Ebara, N., Kato, H., Kosako, H.³⁾, Oka, T. PKA Regulates PINK1 Stability and Parkin Recruitment to Damaged Mitochondria through Phosphorylation of MIC60. *Mol Cell*. 62:371-384, 2016.
2. Ishikawa, E.¹⁾, Kosako, H.³⁾, Yasuda, T., Ohmura, M., Araki, K., Kurosaki, T., Saito, T., Yamasaki, S.¹⁾ Protein kinase D regulates positive selection of CD4(+) thymocytes through phosphorylation of SHP-1. *Nat Commun*. 7:12756, 2016.
3. Kozaki, T., Komano, J., Kanbayashi, D., Takahama, M., Misawa, T., Satoh, T., Takeuchi, O., Kawai, T., Shimizu, S.²⁾, Matsuura, Y., Akira, S., Saitoh, T.³⁾ Mitochondrial damage elicits a TCDD-inducible poly(ADP-ribose) polymerase-mediated antiviral response. *Proc Natl Acad Sci U S A*. 114(10):2681-2686, 2017.
4. Otsubo, K., Goto, H., Nishio, M., Kawamura, K., Yanagi, S., Nishie, W., Sasaki, T., Maehama, T., Nishina, H.²⁾, Mimori, K., Nakano, T., Shimizu, H., Mak, T. W., Nakao, K., Nakanishi, Y., Suzuki, A.¹⁾ MOB1-YAP1/TAZ-NKX2.1 axis controls bronchioalveolar cell differentiation, adhesion, and tumor formation. *Oncogene*. 36(29):4201-4211, 2017.
5. Shigemizu, D., Iwase, T., Yoshimoto, M., Suzuki, Y., Miya, F., Boroevich, K. A., Katagiri, T.³⁾, Zembutsu, H., Tsunoda, T.¹⁾ The prediction models for postoperative overall survival and disease-free survival in patients with breast cancer. *Cancer Med*. 6(7):1627-1638, 2017.
6. Sasaki, F., Koga, T.⁴⁾, Saeki, K., Okuno, T., Kazuno, S., Fujimura, T., Ohkawa, Y.¹⁾, Yokomizo, T. Biochemical and immunological characterization of a novel monoclonal antibody against mouse leukotriene B4 receptor 1. *PLoS One*. 12(9):e0185133, 2017.
7. Goto, H.¹⁾, Nishio, M.¹⁾, To, Y.¹⁾, Oishi, T.¹⁾, Miyachi, Y.¹⁾, Maehama, T., Nishina, H.²⁾, Akiyama, H., Mak, T. W., Makii, Y., Saito, T., Yasoda, A., Tsumaki, N., Suzuki, A.¹⁾ Loss of Mob1a/b in mice results in chondrodysplasia due to YAP1/TAZ-TEADs-dependent repression of SOX9. *Development*. 145:dev159244, 2018.
8. Harada, A.¹⁾, Maehara, K.¹⁾, Ono, Y., Taguchi, H., Yoshioka, K., Kitajima, Y., Xie, Y., Sato, Y., Iwasaki, T.¹⁾, Nogami, J.¹⁾, Okada, S., Komatsu, T.¹⁾, Semba, Y.¹⁾, Takemoto, T.³⁾, Kimura, H., Kurumizaka, H., Ohkawa, Y.¹⁾ Histone H3.3 sub-variant H3mm7 is required for normal skeletal muscle regeneration. *Nat Commun*. 9:1400, 2018.
9. Momozawa, Y., Iwasaki, Y., Parsons, M. T., Kamatani, Y., Takahashi, A., Tamura, C., Katagiri, T.³⁾, Yoshida, T., Nakamura, S., Sugano, K., Miki, Y.²⁾, Hirata, M., Matsuda, K., Spurdle, A. B., Kubo, M. Germline pathogenic variants of 11 breast cancer genes in 7,051 Japanese patients and 11,241 controls. *Nat Commun*. 9(1):4083, 2018.
10. Niwa, H.¹⁾, Miyauchi-Nanri, Y., Okumoto, K., Mukai, S., Noi, K.⁴⁾, Ogura, T.⁴⁾, Fujiki, Y.¹⁾ A newly isolated Pex7-binding, atypical PTS2 protein P7BP2 is a novel dynein-type AAA+ protein. *J Biochem*. 164(6):437-447, 2018.
11. Noguchi, S., Honda, S., Saitoh, T.³⁾, Matsumura, H., Nishimura, E., Akira, S., Shimizu, S.²⁾ Beclin 1 regulates recycling endosome and is required for skin development in mice. *Commun Biol*. 2:37, 2019.

12. Nishio, M.¹⁾, Miyachi, Y.¹⁾, Otani, J., Tane, S.¹⁾, Omori, H., Ueda, F., Togashi, H., Sasaki, T.²⁾, Mak, T. W., Nakao, K., Fujita, Y., Nishina, H.²⁾, Maehama, T., Suzuki, A.¹⁾ Hippo pathway controls cell adhesion and context dependent cell competition to influence skin engraftment efficiency. *FASEB J.* 33(4):5548-5560, 2019.
13. Tahara, N., Kawakami, H., Chen, K. Q., Anderson, A., Yamashita, P. M., Gong, W., Shah, P., Hayashi, S.³⁾, Nishinakamura, R.⁴⁾, Nakagawa, Y., Garry, D. J., Kawakami, Y. Sall4 regulates neuromesodermal progenitors and their descendants during body elongation in mouse embryos. *Development.* 146(14):dev177659, 2019.
14. Abdalla, M. O. A.⁴⁾, Yamamoto, T.⁴⁾, Maehara, K.¹⁾, Nogami, J.¹⁾, Ohkawa, Y.¹⁾, Miura, H., Poonperm, R., Hiratani, I., Nakayama, H., Nakao, M.⁴⁾, Saitoh, N.⁴⁾ The Eleanor ncRNAs activate the topological domain of the ESR1 locus to balance against apoptosis. *Nat Commun.* 10:3778, 2019.
15. Low, S. K., Chin, Y. M., Ito, H., Matsuo, K., Tanikawa, C., Matsuda, K., Saito, H., Sakurai-Yageta, M., Nakaya, N., Shimizu, A., Nishizuka, S. S., Yamaji, T., Sawada, N., Iwasaki, M., Tsugane, S., Takezaki, T., Suzuki, S., Naito, M., Wakai, K., Kamatani, Y., Momozawa, Y., Murakami, Y., Inazawa, J., Nakamura, Y., Kubo, M., Katagiri, T.³⁾, Miki, Y.²⁾ Identification of two novel breast cancer loci through large-scale genome-wide association study in the Japanese population. *Sci Rep.* 9(1):17332, 2019.
16. Ohigashi, I.³⁾, Tanaka, Y., Kondo, K., Fujimori, S.³⁾, Kondo, H.³⁾, Palin, A. C., Hoffmann, V., Kozai, M., Matsushita, Y.³⁾, Uda, S.¹⁾, Motosugi, R., Hamazaki, J., Kubota, H.¹⁾, Murata, S., Tanaka, K., Katagiri, T.³⁾, Kosako, H.³⁾, Takahama, Y.³⁾ Trans-omics impact of thymoproteasome in cortical thymic epithelial cells. *Cell Rep.* 29(9):2901-2916.e6, 2019.
17. Koyano, F., Yamano, K., Kosako, H.³⁾, Kimura, Y., Kimura, M., Fujiki, Y.¹⁾, Tanaka, K., Matsuda, N. Parkin-mediated ubiquitylation redistributes MITOL/March5 from mitochondria to peroxisomes. *EMBO Rep.* 20(12):e47728, 2019.
18. Kato, H., Okabe, K., Miyake, M.³⁾, Hattori, K., Fukaya, T., Tanimoto, K., Beini, S., Mizuguchi, M., Torii, S.²⁾, Arakawa, S.²⁾, Ono, M., Saito, Y., Sugiyama, T., Funatsu, T., Sato, K., Shimizu, S.²⁾, Oyadomari, S., Ichijo, H., Kadowaki, H., Nishitoh, H. ER-resident sensor PERK is essential for mitochondrial thermogenesis in brown adipose tissue. *Life Sci Alliance.* 3(3):e201900576, 2020.
19. Ishihara, E.²⁾, Nagaoka, Y.²⁾, Okuno, T., Kofuji, S.²⁾, Ishigami-Yuasa, M.²⁾, Kagechika, H.²⁾, Kamimura, K., Terai, S., Yokomizo, T., Sugimoto, Y., Fujita, Y., Suzuki, A.¹⁾, Nishina, H.²⁾ Prostaglandin E 2 and its receptor EP2 trigger signaling that contributes to YAP-mediated cell competition. *Genes Cells.* 25(3):197-214, 2020.
20. Omori, H., Nishio, M., Masuda, M., Miyachi, Y., Ueda, F., Nakano, T., Sato, K., Mimori, K., Taguchi, K., Hikasa, H., Nishina, H.²⁾, Tashiro, H., Kiyono, T., Mak, T. W., Nakao, K., Nakagawa, T., Maehama, T. and Suzuki, A.¹⁾ YAP1 is a Potent Driver of the Onset and Progression of Oral Squamous Cell Carcinoma. *Sci Adv.* 6(12):eaay3324, 2020.
21. Ishigaki, K., Akiyama, M., Kanai, M., Takahashi, A., Kawakami, E., Sugishita, H., Sakaue, S., Matoba, N., Low, S. K., Okada, Y., Terao, C., Amariuta, T., Gazal, S., Kochi, Y., Horikoshi, M., Suzuki, K., Ito, K., Koyama, S., Ozaki, K., Niida, S., Sakata, Y., Sakata, Y., Kohno, T., Shiraishi, K., Momozawa, Y., Hirata, M., Matsuda, K., Ikeda, M., Iwata, N., Ikegawa, S., Kou, I., Tanaka, T., Nakagawa, H., Suzuki, A., Hirota, T., Tamari, M., Chayama, K., Miki, D., Mori, M., Nagayama, S., Daigo, Y., Miki, Y.²⁾, Katagiri, T.²⁾, Ogawa, O., Obara, W., Ito, H., Yoshida, T., Imoto, I., Takahashi, T., Tanikawa, C., Suzuki, T., Sinozaki, N., Minami, S., Yamaguchi, H., Asai, S., Takahashi, Y., Yamaji, K., Takahashi, K., Fujioka, T., Takata, R., Yanai, H., Masumoto, A.,

- Koretsune, Y., Kutsumi, H., Higashiyama, M., Murayama, S., Minegishi, N., Suzuki, K., Tanno, K., Shimizu, A., Yamaji, T., Iwasaki, M., Sawada, N., Uemura, H., Tanaka, K., Naito, M., Sasaki, M., Wakai, K., Tsugane, S., Yamamoto, M., Yamamoto, K., Murakami, Y., Nakamura, Y., Raychaudhuri, S., Inazawa, J.³⁾, Yamauchi, T., Kadowaki, T., Kubo, M., Kamatani, Y. Large-scale genome-wide association study in a Japanese population identifies novel susceptibility loci across different diseases. *Nat Genet.* 52(7):669-679, 2020.
22. Okumoto, K., El Shermely, M., Natsui, M., Kosako, H.³⁾, Natsuyama, R., Marutani, T., Fujiki, Y.¹⁾. The peroxisome counteracts oxidative stresses by suppressing catalase import via Pex14 phosphorylation. *Elife.* 9:e55896, 2020.
23. Nishio, M.¹⁾, To, Y.¹⁾, Maehama, T., Aono, Y., Otani, J., Hikasa, H., Kitagawa, A., Mimori, K., Sasaki, T.²⁾, Nishina, H.²⁾, Toyokuni, S., Lydon, J. P., Nakao, K., Mak, T. W., Kiyono, T., Katabuchi, H., Tashiro, H. and Suzuki, A.¹⁾ Endogenous YAP1 activation Drives Immediate Onset of Cervical Carcinoma In Situ in Mice. *Cancer Sci.* 111(10):3576-3587, 2020.
24. Yamashita, K., Tamura, S., Honsho, M.¹⁾, Yada, H., Yagita, Y.¹⁾, Kosako, H.³⁾, Fujiki, Y.¹⁾ Mitotic phosphorylation of Pex14p regulates peroxisomal import machinery. *J Cell Biol.* 219(10):e202001003, 2020.
25. Horisawa-Takada, Y.⁴⁾, Kodera, C.⁴⁾, Takemoto, K.⁴⁾, Sakashita, A., Horisawa, K.¹⁾, Maeda, R., Usuki, S., Fujimura, S., Tani, N., Matsuura, K.⁴⁾, Shimada, R.⁴⁾, Akiyama, T., Suzuki, A.¹⁾, Niwa, H.⁴⁾, Tachibana, M.³⁾, Ohba, T., Katabuchi, H., Namekawa, S., Arak, K., Ishiguro, K.⁴⁾ Meiosis-specific ZFP541 repressor complex promotes meiotic prophase exit during spermatogenesis. *Nat Commun.* 12(1):3184, 2021.
26. Kohrogi, K.⁴⁾, Hino, S.⁴⁾, Sakamoto, A.⁴⁾, Anan, K.⁴⁾, Takase, R.⁴⁾, Araki, H.⁴⁾, Hino, Y.⁴⁾, Araki, K., Sato, T.¹⁾, Nakamura, K., Nakao, M.⁴⁾ LSD1 defines erythroleukemia metabolism by controlling the lineage-specific transcription factors GATA1 and C/EBP α . *Blood Adv.* 5(9):2305-2318, 2021.
27. Kajioka, D., Suzuki, K., Matsushita, S., Hino, S.⁴⁾, Sato, T.¹⁾, Takada, S., Isono, K., Takeo, T., Kajimoto, M., Nakagata, N., Nakao, M.⁴⁾, Suyama, M.¹⁾, DeFalco, T., Miyagawa, S., Yamada, G. Sexual fate of murine external genitalia development: Conserved transcriptional competency for male-biased genes in both sexes. *Proc Natl Acad Sci U S A.* 118(23) :e2024067118, 2021.
28. Yoshioka, K.⁴⁾, Nagahisa, H.⁴⁾, Miura, F., Araki, H., Kamei, Y., Kitajima, Y.⁴⁾, Seko, D.⁴⁾, Nogami, J.¹⁾, Tsuchiya, Y.⁴⁾, Okazaki, N., Yonekura, A., Ohba, S., Sumita, Y., Chiba, K., Ito, K., Asahina, I., Ogawa, Y., Ito, T., Ohkawa, Y.¹⁾, Ono, Y.⁴⁾ Hoxa10 mediates positional memory to govern stem cell function in adult skeletal muscle. *Sci Adv.* 7(24):eabd7924, 2021.
29. Koga, T.⁴⁾, Sasaki, F., Saeki, K., Tsuchiya, S., Okuno, T., Ohba, M., Ichiki, T., Iwamoto, S., Uzawa, H., Kitajima, K., Meno, C., Nakamura, E., Tada, N., Fukui, Y.¹⁾, Kikuta, J., Ishii, M., Sugimoto, Y., Nakao, M.⁴⁾, Yokomizo, T. Expression of leukotriene B 4 receptor 1 defines functionally distinct DCs that control allergic skin inflammation. *Cell. Mol. Immunol.* 18(6):1437-1449, 2021.
30. Nakatani, K.¹⁾, Maehama, T., Nishio, M., Otani, J., Yamaguchi, K., Fukumoto, M., Hikasa, H.¹⁾, Hagiwara, S., Nishina, H.²⁾, Mak, T. W., Honma, T., Kondoh, Y., Osada, H., Yoshida, M., Suzuki, A.¹⁾ Alantolactone is a natural product that potently inhibits YAP1/TAZ through promotion of reactive oxygen species accumulation. *Cancer Sci.* 112(10):4303-4316, 2021.